Brain Research, 414 (1987) 409–411
Elsevier

Author Index

Abhold, R., see Kalivas, P.W., 339
Agid, Y., see Delay-Goyet, P., 8
Aizenman, Y. and De Vellis, J., Synergistic action of thyroid hormone, insulin and hydrocortisone on astrocyte differentiation, 301
Altrup, U., Inputs and outputs of giant neurons B1 and B2 in the buccal ganglia of *Helix pomatia*: an electrophysiological and morphological study, 271
Arnold, A.P., see Jacobson, C.D., 349
Averill, D.B., Diz, D.I., Barnes, K.L. and Ferrario, C.M., Pressor responses of angiontensin II microinjected into the dorsomedial medulla of the dog, 294

Baghdoyan, H.A., Rodrigo-Angulo, M.L., McCarley, R.W. and Hobson, J.A., A neuroanatomical gradient in the pontine tegmentum for the cholinoceptive induction of desynchronized sleep signs, 245
Barnes, K.L., see Averill, D.B., 294
Baux, G., see Meulemans, A., 158
Benton, J.S., see Palmer, A.M., 365
Berkley, K.J. and Contos, N., A glial–neuronal–glial communication system in the mammalian central nervous system, 49
Besson, J.M., see Kayser, V., 155
Bowen, D.M., see Palmer, A.M., 365
Bozarth, M.A., Neuroanatomical boundaries of the reward-relevant opiate-receptor field in the ventral tegmental area as mapped by the conditioned place preference method in rats, 77
Brown, M.J., see Sladky, J.T., 323

Cach, R., Smock, T. and Popejoy, S., Blood-borne factors regulating microvascular constriction in the rat hippocampal slice, 1
Carroll, P.T., Veratridine-induced activation of choline-*O*-acetyltransferase activity in rat hippocampal tissue: relationship to the veratridine-induced release of acetylcholine, 401
Chen, G.L., Halligan, N.L.N., Lue, N.F. and Chen, W.W., Biosynthesis of myelin-associated proteins in Simian virus 40 (SV40)- transformed rat Schwann cell lines, 35
Chen, W.W., see Chen, G.L., 35
Chiappinelli, V.A., see Ramirez, O.A., 228
Chrobak, J.J., Hanin, I. and Walsh, T.J., AF64A (ethylcholine aziridinium ion), a cholinergic neurotoxin, selectively impairs working memory in a multiple component T-maze task, 15
Contos, N., see Berkley, K.J., 49
Coventry, B., see Gibbins, I.L., 143

De Robertis, E., see Pazo, J.H., 405
De Vellis, J., see Aizenman, Y., 301
Delay-Goyet, P., Zajac, J.-M., Javoy-Agid, F., Agid, Y. and Roques, B.P., Regional distribution of μ, δ and κ opioid receptors in human brains from controls and parkinsonian subjects, 8
Deutsch, S.I., see Miller, L.G., 395
Diz, D.I., see Averill, D.B., 294
Do, K.Q., see Turski, W.A., 330
Du Pont, J.S., Firing patterns of bulbar respiratory neurons during sniffing in the conscious, non-paralyzed rabbit, 163

Ellis, J., see Weiss, S., 390
Everitt, B.J., see Hughes, A.M., 133

Fass, B., see Ramirez, J.J., 85
Felsten, G., see Sved, A.F., 113
Ferrario, C.M., see Averill, D.B., 294
Francis, P.T., see Palmer, A.M., 365
French, E.D., see Siggins, G.R., 22
Fukuda, M., Yey, H.H. and Puro, D.G., A vasoactive intestinal polypeptide system in retinal cell cultures: immunocytochemistry and physiology, 177
Fukui, M., see Inoue, T., 309

Galton, N., see Michaelis, M.L., 239
Gibbins, I.L., Wattchow, D. and Coventry, B., Two immunohistochemically identified populations in calcitonin gene-related peptide (CGRP)-immunoreactive axons in human skin, 143
Glezer, I.I., Jacobs, M.S. and Morgane, P.J., Ultrastructure of the blood–brain barrier in the dolphin (*Stenella coeruleoalba*), 205
Gorski, R.A., see Jacobson, C.D., 349
Greenberg, J.H., see Sladky, J.T., 323
Greenblatt, D.J., see Miller, L.G., 395
Grones, W., see Ramirez, J.J., 85
Guilbaud, G., see Kayser, V., 155

Halligan, N.L.N., see Chen, G.L., 35
Hanin, I., see Chrobak, J.J., 15
Harada, E., Siato, T. and Kanno, T., Cytochrome reduction induced by increase in extracellular potassium and by electrical stimulation in isolated perifused neurohypophysis of guinea pig under mild hypoxic conditions, 173
Henschel, B., see Ramirez, J.J., 85
Herrling, P.L., see Turski, W.A., 330
Hobson, J.A., see Baghdoyan, H.A., 245
Hughes, A.M., Everitt, B.J., Lightman, S.L. and Todd, K., Oxytocin in the central nervous system and sexual behaviour in male rats, 133

Inoue, T., Nagara, H., Kondo, A., Fukui, M. and Tateishi, J., Effects of intracarotid hyperosmolar mannitol in triethyl tin (TET)-induced rat brain edema – preservation of blood–brain barrier (BBB) in TET edema, 309

Jacobs, M.S., see Glezer, I.I., 205
Jacobson, C.D., Arnold, A.P. and Gorski, R.A., Steroid autoradiography of the sexually dimorphic nucleus of the preoptic area, 349
Javoy-Agid, F., see Delay-Goyet, P., 8
Jen, P.H.-S., see Sun, X., 314
Jerusalinsky, D., see Pazo, J.H., 405

Jójárt, I., see Vecsernyés, M., 153
Jójárt, J., see Vecsernyés, M., 153

Kalivas, P.W. and Abhold, R., Enkephalin release into the ventral tegmental area in response to stress: modulation of mesocorticolimbic dopamine, 339
Kanno, T., see Harada, E., 173
Karpiak, S.E., see Ramirez, J.J., 85
Kayser, V., Besson, J.M. and Guilbaud, G., Paradoxical hyperalgesic effect of exceedingly low doses of systemic morphine in an animal model of persistent pain (Freund's adjuvant-induced arthiritic rats), 155
Kemp, D.E., see Weiss, S., 390
Kilfoil, T., see Ramirez, J.J., 85
Kinnman, E., Collateral sprouting of sensory axons in the hairy skin of the trunk: a morphological study in adult rats, 385
Kondo, A., see Inoue, T., 309

Laczi, F., see Vecsernyés, M., 153
László, F.A., see Vecsernyés, M., 153
Lederis, K., see Sakanaka, M., 68
Lenox, R.H., see Weiss, S., 390
Levi de Stein, M., see Pazo, J.H., 405
Lightman, S.L., see Hughes, A.M., 133
López-Colomé, A.M. and Somohano, F., Characterization of quisqualate-type L-glutamate receptors in the retina, 99
Lue, N.F., see Chen, G.L., 35

Ma, W., Peschanski, M. and Ralston III, H.J., Fine structure of the spinothalamic projections to the central lateral nucleus of the rat thalamus, 187
Mangel, S.C. and Miller, R.F., Horizontal cells contribute to the receptive field surround of ganglion cells in the rabbit retina, 182
Mann, D.M.A., see Palmer, A.M., 365
Mark, G.P., see Scott, T.R., 197
Maširević, G., see Šušic, V., 262
McAllister II, J.P., see Zemanick, M.C., 149
McCarley, R.W., see Baghdoyan, H.A., 245
McCaslin, P.P. and Morgan, W.W., Activity-induced elevation of cerebellar cyclic GMP occurs in the absence of climbing fiber pathways, 381
Medina, J.H., see Pazo, J.H., 405
Meulemans, A., Poulain, B., Baux, G. and Tauc, L., Changes in serotonin concentration in a living neurone: a study by online intracellular voltammetry 158
Michaelis, E.K., see Michaelis, M.L., 239
Michaelis, M.L., Michaelis, E.K., Nunley, E.W. and Galton, N., Effects of chronic alcohol administration on synaptic membrane Na^+–Ca^{2+} exchange activity, 239
Miller, L.G., Thompson, M.L., Greenblatt, D.J., Deutsch, S.I., Shader, R.I. and Paul, S.M., Rapid increase in brain benzodiazepine receptor binding following defeat stress in mice, 395
Miller, R.F., see Mangel, S.C., 182
Miyashita, E., see Nakai, M., 91
Morgan, W.W., see McCaslin, P.P., 381
Morgane, P.J., see Glezer, I.I., 205
Müller, C.M. and Scheich, H., GABAergic inhibition increases the neuronal selectivity to natural sounds in the avain auditory forebrain, 376

Nagara, H., see Inoue, T., 309
Nakai, M., Tamai, Y. and Miyashita, E., Corticocortical connections of frontal oculomotor areas in the cat, 91
Neary, D., see Palmer, A.M., 365
Nishi, S., see Yoshimura, M., 138
Novas, M.L., see Pazo, J.H., 405
Nunley, E.W., see Michaelis, M.L., 239

Palmer, A.M., Francis, P.T., Bowen, D.M., Benton, J.S., Neary, D., Mann, D.M.A. and Snowden, J.S., Catecholaminergic neurones assessed ante-mortem in Alzheimer's disease, 365
Paul, S.M., see Miller, L.G., 395
Pazo, J.H., Levi de Stein, M., Jerusalinsky, D., Novas, M.L., Raskovsky, S., Tumilasci, O.R., Medina, J.H. and De Robertis, E., Selective increase of α_1-adrenoceptors and muscarinic cholinergic receptors in rat cerebral cortex after chronic haloperidol, 405
Peschanski, M., see Ma, W., 187
Pittman, Q.J., see Siggins, G.R., 22
Polosa, C., see Yoshimura, M., 138
Popejoy, S., see Cach, R., 1
Poulain, B., see Meulemans, A., 158
Puro, D.G., see Fukuda, M., 177

Ralston III, H.J., see Ma, W., 187
Ramirez, J.J., Fass, B., Kilfoil, T., Henschel, B., Grones, W. and Karpiak, S.E., Ganglioside-induced enhancement of behavioral recovery after bilateral lesions of the entorhinal cortex, 85
Ramirez, O.A. and Chiappinelli, V.A., Properties of tachykinin receptors examined by intracellular recording from chick sympathetic ganglia, 228
Raskovsky, S., see Pazo, J.H., 405
Rodrigo-Angulo, M.L., see Baghdoyan, H.A., 245
Roques, B.P., see Delay-Goyet, P., 8
Rosenstein, J.M., Adrenal medulla grafts produce blood–brain barrier dysfunction, 192

Saederup, E., see Squires, R.F., 357
Saito, T., see Harada, E., 173
Sakanaka, M., Shibasaki, T. and Lederis, K., Corticotropin-releasing factor-containing afferents to the inferior colliculus of the rat brain, 68
Scheich, H., see Müller, C.M., 376
Scott, T.R. and Mark, G.P., The taste system encodes stimulus toxicity, 197
Segal, M., Repetitive inhibitory potentials evoked by 4-aminopyridine in hippocampal neurons in vitro, 285
Shader, R.I., see Miller, L.G., 395
Shibasaki, T., see Sakanaka, M., 68
Siggins, G.R., Pittman, Q.J. and French, E.D., Effects of ethanol on CA_1 and CA_3 pyramidal cells in the hippocampal slice preparation: an intracellular study, 22
Sladky, J.T., Greenberg, J.H. and Brown, M.J., Enhanced 2-deoxyglucose incorporation in peripheral nerve during ischemia, 323
Smock, T., see Cach, R., 1
Snowden, J.S., see Palmer, A.M., 365
Somohano, F., see López-Colomé, A.M., 99
Sotgiu, M.L., The effects of periaqueductal gray and nucleus raphe magnus stimulation on the spontaneous and noxious-evoked activity of lateral reticular nucleus neurons in rabbits, 219
Speck, D.F., Supraspinal involvement in the phrenic-to-phrenic inhibitory reflex, 169

Squires, R.F. and Saederup, E., $GABA_A$ receptor blockers reverse the inhibitory effect of GABA on brain-specific [^{35}S]TBPS binding, 357
Sun, X., Jen, P.H.-S. and Zhang, W., Auditory spatial response areas of single neurons and space representation in the cerebellum of echo locating bats, 314
Šušic, V., Maširević, G. and Totić, S., The effects of delta-sleep-inducing peptide (DSIP) on wakefulness and sleep patterns in the cat, 262
Sved, A.F. and Felsten, G., Stimulation of the locus coeruleus decreases arterial pressure, 113

Tamai, Y., see Nakai, M., 91
Tateishi, J., see Inoue, T., 309
Tauc, L., see Meulemans, A., 158
Thompson, M.L., see Miller, L.G., 395
Todd, K., see Hughes, A.M., 133
Totić, S., Šušic, V., 262
Tumilasci, O.R., see Pazo, J.H., 405
Turski, W.A., Herrling, P.L. and Do, K.Q., Effects of L-cysteine-sulphinate and L-aspartate, mixed excitatory amino acid agonists, on the membrane potential of cat caudate neurons, 330
Vanderwolf, C.H., Suppression of serotonin-dependent cerebral activation: a possible mechanism of action of some psychotomimetic drugs, 109
Vecsernyés, M., Jójárt, I., Jójárt, J., Laczi, F. and László, F.A., Presence of chromatographically identified oxytocin in human sensory ganglia, 153

Walker, P.D., see Zemanick, M.C., 149
Walsh, T.J., see Chrobak, J.J., 15
Wattchow, D., see Gibbins, I.L., 143
Weiss, S., Kemp, D.E., Lenox, R.H. and Ellis, J., α_2-Adrenergic receptors mediate inhibition of cyclic AMP production in neurons in primary culture, 390

Yeh, H.H., see Fukuda, M., 177
Yoshimura, M., Polosa, C. and Nishi, S., Slow EPSP and the depolarizing action of noradrenaline on sympathetic preganglionic neurons, 138

Zajac, J.-M., see Delay-Goyet, P., 8
Zemanick, M.C., Walker, P.D. and McAllister II, J.P., Quantitative analysis of dendrites from transplanted neostriatal neurons, 149
Zhang, W., see Sun, X., 314